



官方订阅号

手机官网

ZOJE 中捷缝纫机
ZOJE SEWING MACHINE

浙江中捷缝纫科技有限公司
ZOJE SEWING MACHINE CO.,LTD

地址：浙江省玉环市大麦屿街道兴港东路198号
ADD:DAMAIYU HING KONG ROAD NO.198,YUHUAN,
ZHEJIANG,CHINA

国内营销中心：Domestic Marketing Center
TEL:0576-87338345 87338215 FAX:0576-87338222


国际营销中心：Overseas Marketing Center
TEL:+86-576-87377013 87378896 FAX:+86-576-87338266

○ 全国服务热线：400-807-9881

※ 本目录所述产品，因更新和改良，可能不经事先预告，而对产品之外观、规格和内容进行修改，特此声明敬请谅解。

※ The specification and / or appearances of the equipment described in the catalogue are subject to change because of modification without any previous notice

Http://www.zoje.com E-mail:export@zoje.com
2021年12月印



全球服饰行业设备解决方案运营商

OPERATOR OF EQUIPMENT SOLUTIONS FOR THE
GLOBAL CLOTHING INDUSTRY

产品目录

CONTENTS

- 01 / 单头机系列
Single Head Machine Series
- 11 / 轻轨系列
C Type Machine Series
- 17 / 多头高速帽绣机系列
High Speed Multi Head Tubular Machine Series
- 21 / 特种机系列
Special Function Machine Series
- 27 / 多头高速平绣机
High Speed Multi Head Flat Machine Series
- 31 / 可选装置
Additional Special Device



SPECIFICATION:

- * Emb area:240*320mm
- * Suitable for cap and finished garments embroidery
- * Max working speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming and self-lubrication system
- * Memory stitches:100.000.000, single pattern stitches at most 4.000.000
- * Special structure supports bigger base space. Which make sure embroider on different kinds of finished products, e.g T-shirt, bag, pillow covers
- * Adjustable take up lever spring force adapted to various thread and fabric with nice stitches
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Hindi, Russian, French, Italian, Arabic, Dutch, German, Vietnamese, Polish, Thai, Korean, Romanian
- * Carton packing
- * The best choice for home use and mini studio



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-HALO-100	240×320mm	12	1	Machine box:39/41kgs.	74.5×55.5×70.5cm
				Stand Box:35/38kgs.	79×22×79cm
				Cap device box:7.5/8kgs.	50×32×27cm

ZJ-HALO-100

◎ 配置绣框

Hoops included

- 1个32×24cm的绣框
- 1个12cm的绣框
- 1个15cm的绣框
- 1个20cm的绣框
- 1 x rectangular hoop 32 x 24cm
- 1 x round hoop 12cm
- 1 x round hoop 15cm
- 1 x round hoop 20cm



1 x rectangular hoop 32 x 24cm



1 x round hoop 12cm



1 x round hoop 15cm



1 x round hoop 20cm

◎ 帽绣附件

Cap device included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1 x cap station
- 2 x cap ring
- 1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



脚轮 wheels




绕线器 bobbin winder

◎ 可选装置

Additional device



袜框 socks device



鞋绣 shoes device



口袋框 pocket frame



磁力绣框 magnet frame

ZJ-1201(300x350)

SPECIFICATION:

- * Emb area:300x350mm,7inch Touch panel
- * Suitable for cap and finished garments embroidery
- * Max speed 1200RPM
- * Auto color changing,auto thread trimming
- * 80V-260V adapted to all electricity environment,DC36 safe voltage output
- * Full screen pre-view design function supported
- * Devices could be matched(cording,sequins,beads)
- * 12 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai
- * Plywood packing



ZJ-1201(350x500)

SPECIFICATION:

- * Suitable for cap,flat and finished garments embroidery
- * 10inch touch panel,with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 1.000.000
- * Max working speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(300x350)	300x350mm	12 (15 adopted)	1	85kgs./175kgs.	88x74x99cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(350x500)	350x500mm	12 (15 adopted)	1	95kgs./195kgs.	113x83x89cm

ZJ-1201(400x600)

SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 1.000.000
- * Max working speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



ZJ-1201(500x800)

SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 1.000.000
- * Max working speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(400x600)	400×600mm	12 (15 adopted)	1	117kgs./207kgs.	120×113×89cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(500x800)	500×800mm	12 (15 adopted)	1	125kgs./265kgs.	120×113×89cm



ZJ-1201(500x1200)

SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 1.000.000
- * Max working speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(500x1200)	500×1200mm	12 (15 adopted)	1	140kgs./280kgs.	146×113×89cm



ZJ-1201(600x1200)

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 1.000.000
- * Max working speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(600x1200)	600×1200mm	12 (15 adopted)	1	160kgs./310kgs.	146×113×89cm



ZJ-1201(700x1200)

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 1.000.000
- * Max working speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201(700x1200)	700x1200mm	12 (15 adopted)	1	320kgs./420kgs.	220x113x89cm
ZJ-1201(700x1700)	700x1700mm	12 (15 adopted)	1	350kgs./485kgs.	245x113x89cm

ZJ-1201

(300 × 350) / (350 × 500) / (400 × 600) / (500 × 800) / (500 × 1200)

◎ 配置绣框

Hoops included

1个铝框, ZJ-1201(300 × 350)除外
1个椭圆绣框58 × 36cm
2个30 × 30cm的绣框
2个19cm的绣框
2个15cm的绣框
2个12cm的绣框
2个9cm的绣框

1 x aluminum frame, except ZJ-1201(300 × 350)
1 x oval hoops 58 × 36cm
2 x square hoops 30 × 30cm
2 x round hoops 19cm
2 x round hoops 15cm
2 x round hoops 12cm
2 x round hoops 9cm



Aluminum frame
except ZJ-1201(300 × 350)



30 × 35cm only
for ZJ-1201(300 × 350)



58 × 36cm



30 × 30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

帽座一套
帽圈两个
270度帽驱动一套
1 x cap station
2 x cap rings
1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

工具箱
操作手册
台板和带有轮子的支架
绕线器

Tool kit
Operation Manual
Table and stand with wheels
Bobbin winder



工具箱 tool kit



绕线器 bobbin winder

ZJ-1201HC(400x500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max working speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns, single pattern stitches at most 1.000.000
- * 10inch touch panel, with photo embroidery function
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched(cording, sequins, beads)
- * Plywood packing



ZJ-1202HC(400x500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max working speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns, single pattern stitches at most 1.000.000
- * 10inch touch panel, with photo embroidery function
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched(cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1201HC	400×500mm	12 (15 adopted)	1	215kgs./ 330kgs.	95×113×110cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1202HC	400×500mm	12 (15 adopted)	2	350kgs./ 470kgs.	146×113×110cm

ZJ-1203HC(400x500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max working speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 1.000.000
- * 10inch touch panel ,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 16 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



ZJ-1204HC(400x450)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max working speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 1.000.000
- * 10inch touch panel ,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 16 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch, German,Vietnamese,Thai,Romanian,Italian, Polish,Hebrew
- * Device could be matched(cording,sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1203HC	400×500mm	12 (15 adopted)	3	540kgs./ 760kgs.	195×113×130cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1204HC	400×450mm	12 (15 adopted)	4	800kgs./880kgs.	220×113×130cm

ZJ-905HC(200x500)



SPECIFICATION:

- * Suitable for flat embroidery
- * Max working speed 1200RPM
- * Memory stitches:20.000.000 or 200pcs patterns, single pattern stitches at most 1.000.000
- * 10inch touch panel, with photo embroidery function
- * Auto color changing, auto thread trimming
- * 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-905HC	200x500mm	9	5	540kgs./770kgs.	195x113x130cm

ZJ-1201HC/1202HC/1203HC/1204HC

◎ 配置绣框

Hoops included

- 1个铝框
- 1个椭圆绣框31x39cm / 40x40cm
- 2个30x30cm的绣框
- 2个19cm的绣框
- 2个15cm的绣框
- 2个12cm的绣框
- 2个9cm的绣框

- 1 x aluminum frame (size changed according to different machine)
- 1 x square hoop 31 x 39cm / 40 x 40cm per head
- 2 x square hoops 30 x 30cm per head
- 2 x round hoops 19cm per head
- 2 x round hoops 15cm per head
- 2 x round hoops 12cm per head
- 2 x round hoops 9cm per head



Aluminum frame



40x40cm per head for ZJ-1201HC/1202HC
31x39cm per head for ZJ-1203HC/1204HC



30x30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器

- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



绕线器 bobbin winder

ZJ-1204H(400x600)



SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max working speed 1200RPM
- * Memory stitches:100.000.000,single pattern stitches at most 600.000
- * Auto color changing,auto thread trimming
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic
- * Support presser foot movement control function
- * Devices could be matched(cording,sequins,beads)
- * Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1204H	400x450mm	12 (15 adopted)	4	850kgs./1050kgs.	280x90x150cm

ZJ-1206H(400x450)



ZJ-1208H(400x450)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1206H	400x450mm	12 (15 adopted)	6	1050kgs./1300kgs.	350x90x150cm
ZJ-1208H	400x450mm	12 (15 adopted)	8	1450kgs./1600kgs.	430x90x150cm

ZJ-1212H(400x450)



SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max working speed 1200RPM
- * Memory stitches:100.000.000,single pattern stitches at most 600.000
- * Auto color changing,auto thread trimming
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic
- * Support presser foot movement control function
- * Devices could be matched(cording,sequins,beads)
- * Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1212H	400x450mm	12 (15 adopted)	12	2400kgs./2500kgs.	655x90x150cm

ZJ-1204H/1206H/1208H/1212H

◎ 配置绣框

Hoops included

- | | |
|---------------|--|
| 1个铝框 | 1 x aluminum frame (size changed according to different machine) |
| 1个椭圆绣框31x39cm | 1 x square hoops 31x39cm per head |
| 2个30x30cm的绣框 | 2 x square hoops 30x30cm per head |
| 2个19cm的绣框 | 2 x round hoops 19cm per head |
| 2个15cm的绣框 | 2 x round hoops 15cm per head |
| 2个12cm的绣框 | 2 x round hoops 12cm per head |
| 2个9cm的绣框 | 2 x round hoops 9cm per head |



Aluminum frame



31x39cm



30x30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- | | |
|------------|-----------------------------|
| 工具箱 | Tool kit |
| 操作手册 | Operation Manual |
| 台板和带有轮子的支架 | Table and stand with wheels |
| 绕线器 | Bobbin winder |



工具箱 tool kit



绕线器 bobbin winder



ZJ-901+1PD(560x1200)

SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:100.000.000,single pattern stitches at most 1.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Thai,Italian,Polish
- * Devices could be matched(sequins,beads,rhinestones)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-901+1PD	560×1200mm	9 (12 adopted)	1+1	650kgs./ 800kgs.	195×113×130cm




ZJ-901+1CT(560x1200)

SPECIFICATION:

- * Suitable for flat embroidery,chenille and chain stitch embroidery
- * Memory stitches:100.000.000,single pattern stitches at most 600.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic
- * Devices could be matched(cording,sequins,beads,rhinestone)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-901+1CT	560×1200mm	12 (9 adopted)	1+1	650kgs./ 800kgs.	195×113×130cm



ZJ-901+1LPD(800x1700)

SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:100.000.000,single pattern stitches at most 1.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Thai,Italian,Polish
- * Devices could be matched(sequins,beads,rhinestones)




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-901+1LPD	800×1700mm	9	1+1	900kgs./1000kgs.	230×190×150cm



ZJ-902+2PD(600x850)

SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:100.000.000,single pattern stitches at most 1.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Thai,Italian,Polish
- * Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-902+2PD	600×850mm	9	2+2	900kgs./1000kgs.	230×190×150cm

ZJ-1202MC(500x500x850)

2 heads flat with multi color cording



SPECIFICATION:

- * Suitable for the carpet making ,traditional dresses decoration embroidery
- * Convenient power failure recovery embroidery function, prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM(flat and cording)
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 13 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Thai,Italian,Polish



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1202MC	500×850mm	12	2	500kgs./700kgs.	230×165×160cm

ZJ-610+10PD(600x600x850)

Flat+Coiling&Taping



SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian,French,Arabic
- * Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-610+10PD	600×600×850mm	6	10+10	3500kgs./3700kgs.	840×225×165cm

ZJ-1202F(500x850)

12 Needles 2 Heads Flat Embroidery Machine



SPECIFICATION:

- * Compact structure,machine display size 2.3m(L)*2.2m(W)
- * High efficiency,max speed 1200RPM
- * Convenient power failure recovery function
- * Big LCD display showing real time stitching
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * Device could be choosed:sequins, cording, beads,rhinestone
- * 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Thai,Italian,Polish

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-1202F	500×850mm	12	2	500kgs./615kgs.	230×165×160cm

ZJ-910F(200x200x400)

9 Needles 10 Heads Flat Embroidery Machine



SPECIFICATION:

- * The best machine for Logo making
- * Compact structure,machine display size 2.9m(L)*1.35m(W)
- * With overlap function,10 heads running,working area 200mm*400mm;5 heads running,working area 400mm*400mm
- * High efficiency,max speed 1200RPM
- * More comfortable view,15inch big touch screen monitor
- * Convenient power failure recovery function
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * 13 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian,French,Arabic,Dutch,German,Thai,Italian,Polish
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-910F	200×400mm (400×400mm,overlap)	9	10 (5,overlap)	835kgs./1035kgs.	290×115×130cm

ZJ-904F(500x500x800)

9 Needles 4 Heads Flat Embroidery Machine



ZJ-906F(500x500x800)

9 Needles 6 Heads Flat Embroidery Machine



ZJ-912F(400x400x800)

9 Needles 12 Heads Flat Embroidery Machine



SPECIFICATION:

- * Needles,heads,Embroidery Area could be done according to exact needs.
- * Finished garments frame could be match(additional)
- * Free changing from finished garments and big flat embroidery working
- * Convenient power failure recovery function
- * Big LCD display showing real time stitching
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * Device could be choosed:sequins, cording, beads,rhinestone

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-904F	500×800mm	9	4	1250kgs./1400kgs.	330×230×160cm
ZJ-906F	500×800mm	9	6	1629kgs./1746kgs.	430×230×160cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
ZJ-912F	400×800mm	9	12	2490kgs./2584kgs.	610×230×160cm

More device, more choice


◎ 八合一磁铁绣框 8 in 1 magnetic frame



◎ 口袋框 Pocket frame



◎ 鞋夹 Robot frame




◎ 单金片 Single sequin device



◎ 双金片 Double sequins device



◎ 三金片 Triple sequins device



◎ 简易绳绣 Easy cording device





◎ 晶石绣 Rhinestone device



◎ 袜绣 Sock device




◎ 珠子绣 Beads device



◎ 红光定位装置 Red laser positioning device



◎ 简易激光装置 Easy laser cutting device



◎ 激光切割 Laser cutting device

